

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	((("4533890") or ("4715332") or ("6216653") or ("6308667") or ("3858135") or ("6198370")).PN.	USPAT	OR	OFF	2005/02/14 08:37
S2	558	(123/90.11).CCLS.	USPAT	OR	OFF	2005/02/14 08:20
S3	861	(123/90.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/23 08:56
S4	34	S3 and saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:20
S5	20910	material with saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:38
S6	162	S5 with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:38
S7	3	S6 with plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:54
S8	30119	magnet\$4 with saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:40
S9	25	S8 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:51
S10	107	plate with electromagnet with body with material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:58

S11	1	S10 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:52
S12	624870	material with plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:54
S13	62	S12 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:57
S14	30	armature with (electromagnet near2 body) with material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 08:59
S15	12	((("4533890") or ("4715332") or ("6216653") or ("6308667") or ("3858135") or ("6198370"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 09:00
S16	68	armature with core with material with saturat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:08
S17	1	S16 with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:01
S18	59	(armature plate) with core with (higher lower) with saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:12
S19	869	(251/129.1,129.16).CCLS.	USPAT	OR	OFF	2005/03/23 08:57
S20	1446	(251/129.15,129.01).CCLS.	USPAT	OR	OFF	2005/03/23 08:56
S21	2875	S3 S19 S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:14

S22	116	S21 and saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:14
S23	10	S21 and ((armature plate) with (body core) with saturation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:16
S24	216	S21 and ((armature plate) with (body core) with material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:17
S25	32	S21 and ((armature plate) with (body core) with material with (higher lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:19
S26	24	S21 and ((armature plate) with (stator core) with material with (higher lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:26
S27	1	S21 and ((armature plate) with (stator core) with material with saturation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:33
S28	5	material near2 saturation near2 threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:34
S29	32	material near4 saturation near4 threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:38
S30	1690	S21 and (armature plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:39
S31	330	S30 and linear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:40

S32	36	S31 and saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:50
S33	3362	armature near2 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:50
S34	3815	stator near2 material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:51
S35	25	S33 with S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:54
S36	4556	armature near2 made	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:54
S37	175689	(armature plate) near2 made	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:55
S38	61206	(stator core) near2 made	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:55
S39	809	S37 with S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:55
S40	256	S39 with material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:55
S41	90	S40 with magnet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/14 09:56

S42	861	(123/90.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/14 10:08
S43	2	("6308667").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/23 08:56
S44	376	plate with saturation with material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 08:56
S45	1455	(251/129.15,129.01).CCLS.	USPAT	OR	OFF	2005/03/23 08:56
S46	864	(123/90.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/23 08:56
S47	870	(251/129.1,129.16).CCLS.	USPAT	OR	OFF	2005/03/23 08:57
S48	2886	S45 S46 S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 08:57
S49	2	S44 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 08:59
S50	41	S44 with (higher lower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 08:59
S51	23474105	@ad<"20030218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 09:00
S52	32	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 09:03

S53	60989	(armature plate) with (higher lower) with material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 09:03
S54	80	S53 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 09:03
S55	75	S51 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/23 09:04